



IKO BEARING MANUFACTURING LIMITED



1.181 Inch | 30 Millimeter x 2.441 Inch | 62
 Millimeter x 0.63 Inch | 16 Millimeter NSK
 7206BYG Angular Contact Ball Bearings

Bearing No. 7206BYG

7206BYG Bearing 2D drawings and 3D CAD models

Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight	0.21
EAN	0029176018695
Product Group	B00308
Enclosure	Open
Flush Ground	Yes
Rolling Element	Ball Bearing
Number of Rows of Balls	Single Row
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Brass
Contact Angle	40 Degree
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Mounting Arrangement	Universal
Inch - Metric	Metric
Long Description	30MM Bore; 62MM Outside Diameter; 16MM Width; Open; Yes Flush Ground; Ball Bearing; Single



IKO BEARING MANUFACTURING LIMITED

	Row of Balls; ABEC 1 ISO P0; No Filling Slot; No Snap Ring
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	http://www.nskamericas.com
Manufacturer Item Number	7206BYG
Weight / LBS	0.21
B	0.63 Inch 16 Millimeter
d	1.181 Inch 30 Millimeter
D	2.441 Inch 62 Millimeter
bore diameter:	30 mm
radial static load capacity:	1380 kgf
outside diameter:	62 mm
operating temperature range:	Maximum of +250 ° F
overall width:	16 mm
cage material:	Brass
contact angle:	40 °
outer ring width:	16 mm
row type & fill slot:	Single-Row Non-Fill Slot
maximum rpm:	12000 RPM
internal clearance:	C0
finish/coating:	Uncoated
closure type:	Open
precision rating:	ABEC 1 (ISO Class Normal)
bearing material:	Steel (Balls)
fillet radius:	1 mm



IKO BEARING MANUFACTURING LIMITED

radial dynamic load capacity:	2090 kgf
series:	72