



IKO BEARING MANUFACTURING LIMITED



1.969 Inch | 50 Millimeter x 3.543 Inch | 90
Millimeter x 0.787 Inch | 20 Millimeter NTN
7210BL1G/GL Angular Contact Ball Bearings

Bearing No. 7210BL1G/GL

7210BL1G/GL Bearing 2D drawings and 3D CAD models

Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0.551
EAN	4547359441970
Product Group	B00308
Enclosure	Open
Flush Ground	Yes
Rolling Element	Ball Bearing
Number of Rows of Balls	Single Row
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Brass
Contact Angle	40 Degree
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Preload	Light
Mounting Arrangement	Universal
Inch - Metric	Metric
Long Description	50MM Bore; 90MM Outside Diameter; 20MM Width; Open; Yes Flush



IKO BEARING MANUFACTURING LIMITED

	Ground; Ball Bearing; Single Row of Balls; ABEC 1 ISO P0; No Filling Slot; No Snap Ring
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	7210BL1G/GL
B	0.787 Inch 20 Millimeter
d	1.969 Inch 50 Millimeter
D	3.543 Inch 90 Millimeter
bore diameter:	50 mm
radial static load capacity:	28600 N
outside diameter:	90 mm
operating temperature range:	-40 to 120 ° C
overall width:	20 mm
cage material:	Brass
contact angle:	40 °
maximum rpm:	9000 rpm
row type & fill slot:	Single-Row Non-Fill Slot
finish/coating:	Uncoated
bore type:	Round
precision rating:	ISO Class 0
closure type:	Open
fillet radius:	1.1 mm
snap ring included:	Without Snap Ring
weight:	0.551 kg
bearing material:	High Carbon Chrome Steel



IKO BEARING MANUFACTURING LIMITED

manufacturer product page:	Click here
radial dynamic load capacity:	37500 N