



# IKO BEARING MANUFACTURING LIMITED



5200C3 Bearing 2D drawings and 3D CAD models

0.394 Inch | 10 Millimeter x 1.181 Inch | 30 Millimeter x 0.563 Inch | 14.3 Millimeter NTN 5200C3 Angular Contact Ball Bearings

Bearing No. 5200C3

Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0.051
EAN	4547359535648
Product Group	B00152
Enclosure	Open
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Double Row
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Steel
Contact Angle	25 Degree
Internal Clearance	C3-Loose
Number of Bearings	1 (Single)
Inch - Metric	Metric
Long Description	10MM Bore; 30MM Outside Diameter; 14.3MM Width; Open; No Flush Ground; Ball Bearing; Double Row of Balls; ABEC 1   ISO P0; No Filling Slot;



# IKO BEARING MANUFACTURING LIMITED

	No Snap Ring; C3-Loose; Steel Cage; 25 Degree; 1 (Single)
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	<a href="http://www.ntnamerica.com">http://www.ntnamerica.com</a>
Manufacturer Item Number	5200C3
B	0.563 Inch   14.3 Millimeter
D	1.181 Inch   30 Millimeter
d	0.394 Inch   10 Millimeter
bore diameter:	10 mm
radial static load capacity:	3900 N
outside diameter:	30 mm
operating temperature range:	-40 to 120 ° C
overall width:	0.5625 in
cage material:	Steel
contact angle:	25 °
outer ring width:	14.3 mm
row type & fill slot:	Double-Row Non-Fill Slot
maximum rpm:	22000 rpm
internal clearance:	C0
finish/coating:	Uncoated
bore type:	Round
precision rating:	Class 0
closure type:	Open
fillet radius:	0.6 mm
snap ring included:	Without Snap Ring
series:	52



## IKO BEARING MANUFACTURING LIMITED

bearing material:	High Carbon Chrome Steel
weight:	0.051 kg
radial dynamic load capacity:	7150 N
manufacturer product page:	<a href="#">Click here</a>